


Discontinued product




SPECIFICATION

- Light Source LED Module (Mounted)
- Cone White Cone(WC), Matte black Cone(MC)
- Light Distribution Flood(F)
- Dimming method 0-10V
- Input Voltage 220V±6%, 240V±6%(Dedicated driver input voltage)
- Input Current 0.089A (Dedicated driver input voltage, 220V input)
0.087A (Dedicated driver input voltage, 240V input)
- Power Consumption 16.8W (Included dedicated driver, 220V input)
17.0W (Included dedicated driver, 240V input)
- *The power consumption is measured based on the measuring method, JIS C 8105-3.
- Dedicated Driver Constant current (50/60Hz shared)
- Fixture Input Voltage 19.5V
- Fixture Input Current 0.7A
- Dimming signal input current 2mA
- Weight 410g (Driver weight is included)
- Safety wire included


PRODUCT CODE

MSP-080F/WC·MC/FLF/F/11B27/Z2/3
MSP-080F/WC·MC/FLF/F/11B30/Z2/3
MSP-080F/WC·MC/FLF/F/11B35/Z2/3
MSP-080F/WC·MC/FLF/F/11B40/Z2/3

[mm]



	PARTS	MATERIAL	REMARK
1	Body	ADC	Acrylic Baking Finish
2	LED Module		
3	Reflector	Aluminum	
4	Filter	Resin	
5	Cone	ADC	Plating Finish
6	Safety Wire	Stainless Steel	
7	Safety connector	Resin	
8	Dedicated Driver		0-10V control dimming system



- ATTENTION**
- Use within 0℃~35℃ ambient temperature range.
 - Do not cover fixtures with the heat insulator etc.
 - Keep distance of the fixtures and objects 0.2m or more.
 - Danger! Do not remodel fixtures.
 - Do not use a radio or TV near the fixtures. The unit may generate noise in the radio or TV.
 - Connect a safety wire to the fixture and mounting frame directly.
 - Emission color and brightness would be different even within the same model.
 - Please use constant current driver.
 - Connect input-side power wire to the approved driver directly.
 - Use 0-10V control dimming system (SR-2830AS-1-10) only.
 - Calculate the capacity in accordance with JIS C8155 standard.
 - There is no sending terminal block on the dedicated driver (primary side).
 - This instrument is for ceiling embedded only.
 - Can not be installed on inclined ceilings, walls and so on.

