
MUSEUM PLATFORM | Spotlight

MMP-060S/SH/1E/10A/Z1/3 FOR USE WITH EUTRAC CORP, Series 225, TRACK SYSTEM ONLY. EUTRAC lighting track is sold separately.



ModuleX

Installation Guide

MMP-060S/SH/1E/10A/Z1/3

			fely 《 Read carefully and follow all the in the fixture properly could result in persona I injury.	♥ Prohibited			
▲ Caution	n : Failure to ir	nstall t	he fixture properly could result in property damage.	Strict observance			
Before installation	(Warning	The fixture is for indoor use only in general conditions. Can not be used following conditions (Causes of falling, electrocution and fire) On the wall Plases affected by wind or air-conditioner mashine On the floor Inclined, uneven surface Outside Ambient temperature under 0°C and over 35°C Near fire Oceiling which can't hold the fixture weight High humidity Dusty areas, corrosive gas outbreaks areas Areas get direct sunlight Vibrated or shocked areas Please contact if you are not able to judge whether installation environment is suitable to the places or not.					
	A Caution	0	(Sulfur components may also be contained in some for and car exhaust gas.)				
		0	Please follow the fixtures' indication or specification fo (Causes of change in shape, change in color of irradiate				
For elec	Narning .	0	Only qualified person may work on electric wiring and	equipment.(Cause of accidents)			
tricwiring		0	Be sure power supply voltage is within $\pm 6\%$ mention (Causes of short life of lamps electrification fire)	ed in rating plate or the guide.			
		0	Be sure all the wires and codes are not damaged. (Caus	ses of falling•damage)			
		\bigcirc	Do not perform live-line construction. There is a risk of	electric shock or product failure.			
		\Diamond	Do not install other electronic devices (devices that use in the same circuit as it may lead to equipment failure.	e a motor such as a ventilation fan)			
At lighting fixture	(Warning	0	Please follow the fixtures' instruction or this guide to ir (Causes of falling•electrification•fire)	nstallthe fixture and lamp.			
installation		0	Be sure to turn off the power when installing the fixtur	e or lamp. (Cause of electric shock)			
		\bigcirc	Do not touch the fixture when switch is on or just turn	off the switch because of high temperature.			
		\bigcirc	Do not put or cover the fixture by any cloths, papers, o	r insulators.(Causes of not lighting•fire)			
		\Diamond	Do not put metal or burning objects in the gaps of the equipment. (Causes of electric shock, fire, and equipment failure)				
		\Diamond	Do not dismount or remodel fixtures. (Cause of electrif	ication • fire • falling • broken fixtures)			
		\bigcirc	Do not operate with wet hands.				
		\bigcirc	Do not grab and lift wires or cables that are not the product itself. It may be damaged.				
		0	If you smell smoke, see smoke, or find anything unusua companies to repair. (Cause of electrification • fire)	al, please turn the switch off and ask construction			
	Caution .	0	Use protective equipment such as clean gloves when i	nstalling and removing equipment. (Cause of injury)			
		0	Install so that the heat of the equipment does not affect such as sprinklers. (Cause of malfunction)	ct the fire protection equipment			
		0	Please note that noise may enter the device if it is lit ne	ear a communication device such as a radio.			

Lighting Fixture

MUSEUM PLATFORM | Spotlight

MMP-060S/SH/1E/10A/Z1/3


	Installation Details	Installation Diagram	Caution		Installation Details	
1 2 3	Attaching luminaire to track Lower the cover of the power supply box Turn the lever to the left (turn off the power) Insert luminaire into track	cover	FOR USE WITH EUTRAC CORP, Series 225, TRACK SYSTEM ONLY. Lighting track is sold separately. This fixture can be attached to the 3 circuitrails, but only 1 circuit can be used for power supply. Please do not attach the fixture to the 3 circuitrails in which more than 1 circuit are occupied for power supply. It may cause tripping the circuitbreaker.	1 2 3 4 5	Optional parts installation Turn around the hood. Pull out the hood from the body. Turn around the option holder, and put out . Put a filter in hood. Turn around the option holder,	2
<u>î</u>	Insert the luminaire surely into the track. There is a danger of falling if there is incompleteness.	lever 2	Connect with only N and L1 recommended.	⊥ ♪ b	and put in. Please attention that the sharpener lens is counted two pieces of filter lenses. Don't put in the filters than the rule number of pieces.	
1 [Turn the lever to the right (turn on the power) Turn lever securely to the "ON" position. Failure to do so may cause a fall or fire.	lever	The terminals are connected internally as shown in the right circuit diagram.	<u>ر</u> ب سرد	Causes of falling and damage. To rotate the holder, please wear a flat head screwdriver at the cut. Align the markings of the hood	
5	Raise the cover of the power supply box	lighting track	OFF ON Lever position indication		and the body, please turn it clockwise until it clicks.	
	If you can not raise the cover, there is a possibility that the luminaire is not securely fixed. Please try installing again.		a	1	Tilting angle setting Please loose a screw by the hexagonal wrench, and unrock. Please regulate a point of view	
∱a	Do not install on walls and floor.		×wall		Please use an attached hexagon wrench by all means.	
1	Adjustment of irradiation direction Grasp the fixture and adjust the irradiation direction	Range of movement			wiench by an means.	
Â	Do not forcibly move beyond the movable range Please adjust the fixture after turning off the power and cooling the fixture	$ \begin{array}{c} 10^{\circ} \\ 90^{\circ} \\ 380^{\circ} \end{array} $				





Hood

UP to 2FILTERS



FUKU0KA 1-8-30-1 Daimyo, Chuo-ku, Fukuoka 810-0041, Japan Tel +81-92-732-4211