
Installation Guide | Lighting Fixture

SLICK JIAKARI

MSP-100F/FLF/30B/DL/3



| To install the fixture safely ${\hspace{.05cm}}{\hspace{.0cm}}{\hspace{.05cm}}{\hspace{.05cm}}{\hspace{.05cm}}{\hspace{.05cm}}{\hspace{.05cm}}{\hspace{.05cm}}{\hspace{.05cm}}{\hspace{.05cm}}{\hspace{.05cm}}{\hspace{.05cm}}{\hspace{.05cm}}{\hspace{.05cm}}{.0$ | | | | | | | |
|--|------------------|----------|--|--|--|--|--|
| ① Warning : | Failure to in | nstall t | the fixture properly could result in personal injury. | | | | |
| (1) Caution: Failure to install the fixture properly could result in property damage. | | | | | | | |
| Before installation | 1 Warning | 0 | The fixture is for indoor use only in general conditions. This fixture can only be installed on a horizontal ceiling. Can not be used following conditions (Causes of falling, electrocution and fire) Inclined, uneven surface High humidity Ceiling which can't hold the fixture weight Outside On the wall On the floor Vibrated or shocked areas Near fire Areas get direct sunlight Dusty areas, corrosive gas outbreaks areas Please contact if you are not able to judge whether installation environment is suitable to the places or not. | | | | |
| | <u></u> Caution | 0 | Please follow the fixtures' indication or specification for the distance of irradiated area. (Causes of change in shape, change in color of irradiated objects) | | | | |
| For electric | A Warning | 0 | Only qualified person may work on electric wiring and equipment. (Cause of accidents) | | | | |
| wiring | | 0 | Use alternating current. Please follow rating plate of fixtures for power supply frequency. (Cause of electrification • fire) (50Hz • 60 Hz common use for ballasts and incandescent lamp fixtures) | | | | |
| | | 0 | Be sure power supply voltage is within $\pm 6\%$ mentioned in rating plate or the guide. (Causes of short life of lamps • electrification • fire) | | | | |
| | | 0 | Be sure all the wires and codes are not damaged. (Causes of falling • damage) | | | | |
| At lighting fixture | ⚠Warning | 0 | Please follow the fixtures' instruction or this guide to install the fixture and lamp. (Causes of falling • electrification • fire) | | | | |
| installation | | 0 | Switch off the power when installing the lamp. (Causes of electrification) | | | | |
| | | 0 | Do not touch the fixture when switch is on or just turn off the switch because of high temperature. | | | | |
| | | 0 | Do not put or cover the fixture by any cloths, papers, or insulators.(Causes of not lighting • fire) | | | | |
| | | 0 | Do not place any metallic or flammable objects. (Cause of electrification • fire • broken fixture) | | | | |
| | | 0 | Make sure to install all the parts of fixtures besides installation and mounting parts will not touch with any objects both inside and outside of ceiling such as lighting track, etc. (Causes of falling • electrification • fire) | | | | |
| | | 0 | Do not dismount or remodel fixtures. (Cause of electrification • fire • falling • broken fixtures) | | | | |
| | | 0 | Do not operate with wet hands. | | | | |
| | | 0 | If you smell smoke, see smoke, or find anything unusual, please turn the switch off and ask construction companies to repair. (Cause of electrification • fire) | | | | |
| | Caution | 0 | Make sure the construction will not affect any fire prevention systems such as sprinkler by heat from the fixture. (Causes for improper operation) | | | | |

ModuleX

Installation Guide Lighting Fixture

SLICK JIAKARI

MSP-100F/FLF/30B/DL/3

| | Installation Details | Installation Diagram | Caution | | |
|------------|--|----------------------|-----------------------------------|--------------------------------------|--|
| | Install the mounting equipment for ceiling cut out | | <u></u> 🗘 a | ⋰p | |
| 1 | Cut out a hole and install the mounting frame | 1 Ceiling cut out | | | |
| 2 | Slide the metal fittings from upper side | Mounting frame | | | |
| 3 | Use a screw driver and tighten the metal fittings | | | | |
| <u></u> | On step 2, please fix the metal fitting firmly with your fingers. If not, it may cause falling of fixtures | Ceiling | | | |
| <u>√</u> b | Make sure to tighten the metal fittings securely with a screwdriver. (torque 1.0 \sim 2.0 N \cdot m) If it is loose, it may cause falling of the fixture | 3 Metal fitting | Push tight | Standard to screw torque 1.0~2.0N• m | |
| | Wiring connection | | Wiring diagram PE N L | | |
| <u> </u> | Please connect according to the description of a power supply. | | PE N L | DC900mA MAX 37.8V +RED | |
| <u> </u> | When connecting the driver, careful attention should be paid to connecting $+$ and $-$. | | L N PE | -BLACK LED | |
| <u> </u> | Metal part in a cable point, please don't touch with bare hand directly. | | Driver | | |
| | mand directly. | | CAUTION! Do not reverse polarity! | eolarity! + RED - BLACK | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | Installation Details | Installation Diagram | Caution | |
|-----------|---|----------------------|-------------|----------------|
| | Installation to ceiling | | ∱h | ı́i |
| 1 | Install the safety wire to the mounting frame. | | | |
| 2 | Install the fixture to the mounting frame. | Safety wire | | Mounting frame |
| <u></u> | Make sure to install the safety wire to the mounting frame securely. | Ceiling | | Fixture |
| <u></u> i | Use clean soft cloth to clean up and maintain inner side of the body. | 2 Mounting frame | Safety wire | Inside |
| | Make sure the fixture will not touch any objects in ceiling. | 1 | | Clean gloves |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(Contact)

Concord Lighting
5/F, Longbow House,14-20 Chiswell Street, London, EC1Y 4TW, UK
Tel: +44-01273-616649

(Manufacturer)

ModuleX Inc.

#21 AraiBldg, 1-20-6 Ebisu-Minami Shibuya-ku, Tokyo Tel : +81-3-5768-3131

To install ModuleX safety